

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23

Version: 2.0

Page: 1/10

(30473285/SDS_CPA_US/EN)

1. Product and Company Identification

Company

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122

Substance number: 000000414098
Chemical family: organophosphates
Synonyms: danitol; acephate

2. Hazards Identification

Emergency overview

WARNING:
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
Causes substantial but temporary eye injury.
HARMFUL IF SWALLOWED.
HARMFUL IF ABSORBED THROUGH SKIN.
Avoid contact with the skin, eyes and clothing.
Flammable Liquid
Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid
Odour: characteristic, slight odour

Potential health effects**Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 2/10
(30473285/SDS_CPA_US/EN)

Irritation / corrosion:

Causes substantial but temporary eye injury. May cause slight irritation to the skin.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Signs and symptoms of overexposure:

inhibition of cholinesterase

weakness, muscular spasms, twitching, headache, tightness in the chest, difficulty breathing, shortness of breath, chest discomfort, disturbance of vision, nonreactive pinpoint pupils, salivation, nausea, vomiting, diarrhea, abdominal cramps, urination, perspiration

Risk of decrease in cholinesterase activity. If poisoning is probable, treat the patient immediately. Treatment should be given simultaneously with decontamination procedures in severe cases. Proceed concurrently with decontamination using proper protective gear; for example, chemical resistant gloves (neoprene or nitrile) rather than cotton or leather gloves.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
39515-41-8	1.0 %	Fenpropathrin
30560-19-1	1.5 %	Acephate
67-63-0		2-Propanol
115-10-6		dimethyl ether
	<= 97.5 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Antidote:

Administer atropine. Pralidoxime chloride (2-PAM) is antidotal when administered early, and in conjunction with antidote.

Treatment:

Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions. Before administering pralidoxime chloride, obtain a blood sample for cholinesterase analysis. Adjusting for age and weight, pralidoxime may be administered as a continuous infusion after a loading dose or using a bolus method. Clear airway and provide oxygen before administering atropine. Tissue oxygenation should be improved as much as possible before administering atropine, so as to minimize the risk of arrhythmia. Give atropine intravenously (IV), or if not immediately possible IV, through an alternative route such as an endotracheal tube or intramuscularly

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 3/10
(30473285/SDS_CPA_US/EN)

(IM). Give atropine intramuscularly or intravenously, depending on severity of poisoning. Atropine may be administered through an alternative route such as an endotracheal tube. Avoid opiates, parasympthomimetic agents (e.g. succinylcholine), theophylline, reserpine and or phenothiazines. The dosage for atropine is as follows: 1 to 2 mg/kg initially IV in adults (or 0.05 mg/kg in children under 12 years) then give appropriate doses every 15 minutes until excessive secretions and sweating have been controlled. Use soap (preferably Tincture Green Soap) and water or dilute hypochlorite solution for decontaminating skin. Suction oral secretions and emesis to avoid aspiration. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 72 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

5. Fire-Fighting Measures

Flash point:		not determined
Lower explosion limit:	3.4 %(V)	(air)
Upper explosion limit:	18 %(V)	(air)
Flammability of Aerosol	> 18 in	(ASTM D 3065)
Products:		
NFPA 30B flammability:	Level 2 Aerosol	

Suitable extinguishing media:
dry powder, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, sulfur oxides, phosphorus oxides, nitrogen oxides, mercaptans, toxic gases/vapours, combustible gases/vapours
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is not regulated by CERCLA ('Superfund').

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 4/10
(30473285/SDS_CPA_US/EN)

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Temperature tolerance

Protect from temperatures above: 130 °F
Explosive at or above indicated temperature.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with workplace control parameters

2-Propanol	OSHA	PEL	400 ppm	980 mg/m ³ ;
	ACGIH	TWA value	200 ppm ;	STEL value 400 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 5/10
(30473285/SDS_CPA_US/EN)

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Odour:	characteristic, slight odour	
pH value:		neutral to slightly acidic, The product has not been tested. The statement has been derived from products of a similar structure or composition.
Density:	0.7903 g/cm ³	(approx. 20 °C)
Vapour density:		not determined
Partitioning coefficient n-octanol/water (log Pow):		not applicable
Viscosity, dynamic:	1.87 mPa.s	(approx. 20 °C)
Solubility in water:		insoluble

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

caustics, amines, alkanolamine, aldehydes, strong oxidizing agents, chlorinated products

Hazardous reactions:

The product is chemically stable.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Sulphur dioxide, hydrogen sulphide, methanethiol, Dimethylsulfide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 6/10
(30473285/SDS_CPA_US/EN)

Corrosion to metals:

Corrosive effects to metal are not anticipated.

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50

Species: rat

Value: 1,850 mg/kg

Inhalation:

Type of value: LC50

Species: rat

Value: > 8.1 mg/l

Dermal:

Type of value: LD50

Species: rabbit

Value: > 2,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit

Result: non-irritant

May cause slight irritation to the skin.

Eye:

Species: rabbit

Result: non-irritant

Sensitization:

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Genetic toxicity

Information on: acephate

The substance was not mutagenic in mammalian cell culture.

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Information on: 2-Propanol

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

The substance was not mutagenic in a test with mammals.

Information on: dimethyl ether

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. Literature data.

Carcinogenicity

Information on: acephate

In long-term animal studies in which the substance was given in high concentrations by feed, a carcinogenic effect was observed.

Reproductive toxicity

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 7/10
(30473285/SDS_CPA_US/EN)

Information on: acephate

The results of animal studies gave no indication of a fertility impairing effect.

Information on: dimethyl ether

The results of animal studies gave no indication of a fertility impairing effect. Literature data.

Development:

Information on: acephate

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: 2-Propanol

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Information on: dimethyl ether

In animal studies the substance did not cause malformations. Literature data.

12. Ecological Information

Fish

Information on: fenpropathrin

Acute:

Lepomis macrochirus/LC50 (96 h): 0.0022 mg/l

Information on: acephate

Acute:

Oncorhynchus mykiss/LC50 (96 h): > 1,000 mg/l

Information on: 2-Propanol

Acute:

EPA 72-1 Flow through.

Pimephales promelas/LC50 (96 h): 9,640 mg/l

Literature data.

Information on: dimethyl ether

Acute:

other semistatic

Poecilia reticulata/NOEC (96 h): > 4,000 mg/l

The product is highly volatile. Tested in a closed test system.

Aquatic invertebrates

Information on: acephate

Acute:

Daphnia magna/EC50 (48 h): 67.2 mg/l

Information on: 2-Propanol

Acute:

Daphnia test acute static

Daphnia magna/EC50 (24 h): > 10,000 mg/l

Nominal concentration. Literature data.

Information on: dimethyl ether

Acute:

other static

Daphnia magna/No observed effect concentration (48 h): > 4,000 mg/l

The product is highly volatile. Tested in a closed test system.

Aquatic plants

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 8/10
(30473285/SDS_CPA_US/EN)

Information on: acephate
Toxicity to aquatic plants:
algae/No observed effect concentration: 7.2 - 24 mg/l

Information on: 2-Propanol
Toxicity to aquatic plants:
OECD Guideline 201 green algae/EC50 (72 h): > 1,000 mg/l

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Marine pollutant: NO
Proper shipping name: AEROSOLS

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2013, ORM-D will not apply.

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 9/10
(30473285/SDS_CPA_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established

EPCRA 311/312 (Hazard categories): Acute; Chronic; Fire; Sudden release of pressure

CERCLA RQ

100 LBS

CAS Number

67-63-0; 115-10-6

Chemical name

2-Propanol; dimethyl ether

State regulations

State RTK

MA, NJ, PA
MA, NJ, PA

CAS Number

67-63-0
115-10-6

Chemical name

2-Propanol
dimethyl ether

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

MSDS Prepared on: 2012/03/23

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE

Safety Data Sheet

TAME/ORTHENE TR

Revision date : 2012/03/23
Version: 2.0

Page: 10/10
(30473285/SDS_CPA_US/EN)

DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET