

SAFETY DATA SHEET

Issuing Date January 5, 2015 Revision Date New **Revision Number** 0 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING Product identifier **Product Name** Kingsford® BBQ Bag® Charcoal Briquets Other means of identification Synonyms None Recommended use of the chemical and restrictions on use **Recommended use** Fuel for cooking food outdoors Uses advised against No information available Details of the supplier of the safety data sheet **Supplier Address** The Clorox Company 1221 Broadway Oakland, CA 94612 Phone: 1-510-271-7000 Emergency telephone number **Emergency Phone Numbers** For Medical Emergencies, call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 1A
Toxic to reproduction	Category 1B

GHS Label elements, including precautionary statements

Emergency Overview

Signal word	D	anger			
	tents cer (inhalation). ertility or the unborn child.				
Appearance	Square black briquet	Physical State	Solid	Odor	Petroleum solvent

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear eye protection such as safety glasses. Do not breathe dust.

Precautionary Statements - Response

If exposed or concerned: Get medical advice.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

Hazards not otherwise classified (HNOC)

CARBON MONOXIDE HAZARD. Burning charcoal inside without adequate ventilation can kill you. It gives off carbon monoxide, which has no odor. NEVER burn charcoal inside homes, vehicles, or tents.

Vapors may cause irritation to the nose, throat, and respiratory tract. Repeated or prolonged exposure to concentrations above the Worker Exposure Limit may cause central nervous system depression (e.g. dizziness, weakness, nausea, headaches and/or unconsciousness).

Solvents similar to those contained in this product have caused adverse kidney effects in male rats after prolonged and repeated inhalation exposure. Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and nervous system damage.

Unknown Toxicity

60 - 80% of the mixture consists of ingredients of unknown toxicity.

Other information

Never barbeque indoors. Do not use lighter fluid or an electric or chimney-style starter. Never cover flaming briquets with a grill lid. Covering flaming briquets may result in a flare-up when lid is removed. Barbecue away from flammable items, overhangs, and trees. Do not add Match Light® charcoal once fire has been lit. Make sure ashes are cold before discarding.

Interactions with Other Chemicals

Reacts with strong oxidizers to catch on fire.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Charcoal	16291-96-6	60 - 80	*
Limestone	1317-65-3	< 20	*
Petroleum distillates, hydrotreated light	64742-47-8	10 - 15	*
Wood dust, all soft and hard woods	RR-00514-1	< 10	*
Sodium tetraborate decahydrate	1303-96-4	0.1 - 0.9	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.		
Eye Contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Skin Contact	Wash skin with soap and water. If irritation persists, call a doctor.		
Inhalation	Move to fresh air. If breathing problems develop, call a doctor.		
Ingestion	Drink a glassful of water. Call a doctor or poison control center.		
Protection of First-aiders	Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).		
Most important symptoms and effe	cts, both acute and delayed		
Most Important Symptoms and Effects	Vapors may cause irritation to the nose, throat, and respiratory tract. Dust may cause eye irritation. Inhalation of dust may irritate nose and throat.		
Indication of any immediate medica	al attention and special treatment needed		
Notes to Physician	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

None known.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment as required.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental Precautions	See Section 12 for ecological Information.		
Methods and material for containme	ent and cleaning up		
Methods for Containment	Prevent further spillage if safe to do so.		
Methods for Cleaning Up	Remove heat and ignition sources. Vacuum sweep, if possible, to avoid generating airborne dust. Wash residual to on-site treatment area, where appropriate. If treatment area is not available, wash down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.		

7. HANDLING AND STORAGE

Precautions for safe handling Handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Conditions for safe storage, including any incompatibilities Storage Store locked up in a well-ventilated and dry area away from open flames, heat sources, and other ignition sources. Keep bag closed to avoid evaporation. Incompatible Products Strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Charcoal 16291-96-6	TWA - 0.4 mg/m ³ (dust, respirable fraction) ^a ^a based on TWA for anthracite coal dust	None	None
Limestone 1317-65-3	None	TWA - 15 mg/m ³ (total dust) TWA - 5 mg/m ³ (respirable fraction)	TWA - 15 mg/m ³ (total dust) TWA - 5 mg/m ³ (respirable dust)
Petroleum distillates, hydrotreated light 64742-47-8	TWA - 100 ppm ^b ^b Based on TWA for Stoddard solvent	TWA - 500 ppm ^d ^d Based on TWA for Stoddard solvent	IDLH ^e - 20000 mg/m ³ Ceiling ^e - 1800 mg/m ³ (15 min) TWA ^e - 350 mg/m ³ ^e Based on limits for Stoddard solvent
Wood dust, all soft and hard woods RR-00514-1	TWA - 1 mg/m ³ (inhalable fraction)	None	TWA - 1 mg/m ³
Sodium tetraborate decahydrate 1303-96-4	STEL - 6 mg/m ³ (inhalable fraction) ⁶ STEL - 2 mg/m ³ (inhalable fraction) ⁶ ⁶ Listed under borate compounds, inorganic	None	TWA - 1 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	Wear safety glasses.
Skin and Body Protection	Wear rubber or neoprene gloves.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands after handling product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance Color	Solid Square briquet Black
Property pH Melting/freezing point Boiling point / boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	Values Not applicable No data available ~40°C (solvent) No data available No data available
Upper flammability limit Lower flammability limit	No data available
Vapor pressure Vapor density Bulk density Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties	No data available No data available ~0.7 g/cm ³ Insoluble in water No data available
Other Information Softening Point	No data available

Softening Point VOC Content (%) Particle Size Particle Size Distribution

No data available No data available No data available No data available Odor Odor Threshold Petroleum solvent No information available

Remarks/ Method

None known None known None known None known None known

None known None known None known None known None known None known None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity

Reacts with strong oxidizers to catch on fire.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Flames, heat sources, and ignition sources.

Incompatible materials

Strong oxidizers.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Inhalation may irritate nose, throat, and respiratory tract.
Eye Contact	Dust may cause temporary eye irritation.
Skin Contact	Minor or no effects expected.
Ingestion	Minor or no effects expected.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light 64742-47-8	>5 g/kg (Rat)	>2 g/kg (Rabbit)	>5.2 mg/L (Rat, 4 h)
Sodium tetraborate decahydrate 1303-96-4	3.5 g/kg (Rat)	>10 g/kg (Rabbit)	-

Information on toxicological effects

SymptomsMay cause redness and tearing of the eyes. Inhalation of dust may irritate respiratory
tract.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA	
Wood dust.	ACGIH	IARC	NIP	USHA	
all soft and hard woods		Group 1	Known	x	
RR-00514-1		Gloup 1	KIIOWII	~	
ACGIH: (American Confe	rence of Governmental I	ndustrial Hygienists)			
IARC: (International Agene Group 1 - Carcinogenic to H NTP: (National Toxicology Known - Known Carcinogen OSHA: (Occupational Safe X - Present	umans Program)	,			
Reproductive Toxicity	Contains a ki	Contains a known or suspected reproductive toxin (sodium tetraborate decahydrate).			
STOT - single exposure	No informatic	No information available.			
STOT - repeated exposure Chronic Toxicity Target Organ Effects	Contains a kr toxin. Possi International (Group 1). S Woodworkers risk. Due to unlikely, and,	ation available. a known or suspected carcinogen. Contains a known or suspected reproductive ssible risk of irreversible effects. Wood dust has been classified by the hal Agency for Research on Cancer (IARC) as a known human carcinogen Studies have linked wood dust to nasal cancer in furniture industry workers. kers in the building industry (e.g. carpenters) do not appear to have this increased to the product form and typical use conditions, significant dust exposures are nd, therefore, the potential for any chronic effects is low. by system, reproductive system, eyes.			
Aspiration Hazard	Not an aspira	Not an aspiration hazard.			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Reclaim, if possible; otherwise dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION							
DOT	Not restricted per 49 CFR 172.101(c)(12)(iv).						
TDG	Not restricted per TDG regulations Part 146(c)(iii).						
ICAO	Carbon, not activated. Not restricted. Passes self-heating carbon test.						
ΙΑΤΑ	Carbon, not activated. Not restricted. Passes self-heating carbon test.						
IMDG/IMO	Carbon, not activated. Not restricted. Passes self-heating carbon test.						

15. REGULATORY INFORMATION

Chemical Inventories

TSCA	All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt
	from listing.
DSL/NDSL	All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312	Hazard Categories
--------------	-------------------

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

California Proposition 65 Warning: Combustion (burning) of this product, like other cooking methods, produces carbon monoxide and other substances known by the State of California to cause cancer, birth defects, or reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Limestone 1317-65-3		х	Х	Х	
Sodium tetraborate decahydrate 1303-96-4	Х	Х	х		
Wood dust, all soft and hard woods RR-00514-1	Х				

International Regulations

Canada WHMIS Hazard Class D2A - Very toxic material



16. OTHER INFORMATION Health Hazard 0 Flammability 1 Instability 0 Physical and Chemical Hazards -**NFPA HMIS** Health Hazard 0* Flammability 1 Physical Hazard 0 Personal Protection A .*Indicates a chronic health hazard **Prepared By** Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 **Revision Date** New **Revision Note** New Reference 1015711-B/126661.003

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet