Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Hillyard Quick & Clean Lemon Furniture Polish
Material number	:	A00135
Manufacturer or supplier's	deta	ils
Company	:	Hillyard Industries
Address	:	302 North 4 th Street Joseph, MO 64502
Telephone	:	816-233-1321 ext 8285

Emergency telephone numbers		
For SDS Information	:	816-233-1321 ext 8285
For a Medical Emergency	:	
For a Transportation	:	CHEMTREC 800-424-9300
Emergency		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	light cream
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Skin sensitisation	 Category 2 Liquefied gas Category 2 Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

/ersion 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and wat P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with local regulation. 	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as proba human carcinogen by IARC.	
ACGIH	No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.	
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
propane	74-98-6	>= 5 - < 10
butane	106-97-8	>= 1 - < 5
Stoddard solvent	8052-41-3	>= 1 - < 5
citral	5392-40-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
In case of skin contact	: If skin irritation persists, call a phys Wash off immediately with plenty o minutes. If on clothes, remove clothes.	
In case of eye contact	: Remove contact lenses. Flush eyes with water at least 15 m attention if eye irritation develops o	
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center.	rected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm	OSHA P0

ersion 1.0	Revision I	Date 05/01/2015	Print D	Date 05/28/2015
			1,800 mg/m3	
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH
		TWA	350 mg/m3	NIOSH REL
		С	1,800 mg/m3	NIOSH REI
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.	
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	: Safety glasses	
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	 When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: light cream
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	:
	no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: no data available

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.938 g/cm3	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 15.00 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:	
Distillates (petroleum), hydr	
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 rat: > 4.6 mg/l
·····,	Exposure time: 6 h
Acute dermal toxicity	: LD50 rat: > 2,000 mg/kg

HIL0105254		
Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 658 mg/l Exposure time: 4 h	
	LC50 rat: 1,355 mg/l	
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irrit	tation and/or dermatitis.	
Serious eye damage/eye irritation	n	
Product:		
Remarks: Vapours may cause	e irritation to the eyes, respiratory s	ystem and the skin.
Respiratory or skin sensitisation	l	
Product:		
Remarks: Causes sensitisation	on.	
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
Distillates (petroleum), hydro propane: butane: Stoddard solvent: citral:	otreated light:	
STOT - single exposure		
no data available		
STOT - repeated exposure		

no data available

Aspiration toxicity

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
no data available		
Further information		
Product:		
Remarks: no data availab	le	
<u>Components:</u> Distillates (petroleum), hyd Remarks: no data availab		
SECTION 12. ECOLOGICAL INF	ORMATION	
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water citral : Partition coefficient: n-	: Pow: 2.89 : Pow: 2.76	
octanol/water		
Mobility in soil		
no data available		
Other adverse effects no data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	-
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: An environmental hazard cannot event of unprofessional handling aquatic life with long lasting effe	g or disposal., Harmful to

Components:

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
Distillates (petroleum), hyd	rotreated light :	
Additional ecological information	: no data available	
SECTION 13. DISPOSAL CONSI	DERATIONS	
Disposal methods		
Waste from residues	: Dispose of in accordance with loca	al regulations.
Contaminated packaging	: Empty remaining contents.	

Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015
SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: SARA 313: This material does not co components with known CAS numbe threshold (De Minimis) reporting leve Title III, Section 313.	rs that exceed the
California Prop 65	This product does not contain any ch California to cause cancer, birth defe reproductive harm.	
The components of this pro	oduct are reported in the following inve	ntories:
DSL This Can AICS Not NZIOC Not PICCS Not	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL. Not in compliance with the inventory Not in compliance with the inventory	
California Prop 65 The components of this pro TSCA On DSL This Can AICS Not NZIOC Not PICCS Not	components with known CAS number threshold (De Minimis) reporting lever Title III, Section 313. This product does not contain any ch California to cause cancer, birth defer reproductive harm. Douct are reported in the following inver TSCA Inventory product contains one or several compon adian DSL nor NDSL. in compliance with the inventory in compliance with the inventory in compliance with the inventory	ers that exceed the ls established by SA emicals known to St cts, or any other

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Version 1.0	Revision Date 05/01/2015	Print Date 05/28/2015	
Hazard pictograms			
Signal word	: Warning:		
Hazard statements	 Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. 		
Precautionary statements	:		
	 Prevention: Keep away from heat, hot surfaces, sparks sources. No smoking. Do not spray on an open flame of Pressurized container: Do not pierce or burn, even after fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly a work clothing should not be allowed out of the workplace Response: IF ON SKIN: Wash with plenty of soap and occurs: Get medical advice/ attention. Take off contamir reuse. 	r other ignition source. r use. Avoid breathing dust/ after handling. Contaminated e. Wear protective gloves. water. If skin irritation or rash hated clothing and wash before	
	Storage: Protect from sunlight. Do not expose to tempe °F.	eratures exceeding 50 °C/ 122	
	Disposal: Dispose of contents/container in accordance	with local regulation.	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Version 1.0

Revision Date 05/01/2015

Print Date 05/28/2015

1001526