

Revision Date 29-May-2015

Version 1

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Sandpebble® PMR, Sandpebble® E PMR, Sandpebble® Fine PMR, Sandpebble® Fine E

PMR, Sandpebble® Fine NT PMR, Sandpebble® Fine NTX PMR, Sandpebble® PMRB,

Weatherlastic Sandpebble® PMR, Weatherlastic Sandpebble® Fine PMR

Product code 011321198

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc

One Energy Way,

West Warwick, RI 02893

Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

# 2. Hazards identification

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Carcinogenicity	Category 1A

#### 2.2 Label elements

# Signal Word

Danger

#### **Hazard Statements**

May cause an allergic skin reaction

May cause cancer



### **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace

### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

# 2.4 Other information

Not Applicable

# 3. Composition/Information on Ingredients

### Substance

Chemical Name	CAS-No	Weight %
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND	14808-60-7	40 - 50%
CALCIUM CARBONATE (LIMESTONE)	1317-65-3	10 - 20%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
AMORPHOUS SILICA	7631-86-9	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
CELLULOSE	9004-34-6	0 - 10%
Stoddard Solvent	8052-41-3	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

# 4. First aid measures

#### 4.1 Description of first-aid measures

**General advice** If symptoms persist, call a physician.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

**Skin contact** Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

**Ingestion** If swallowed, do not induce vomiting - seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3 Recommendations for immediate medical care and/or special treatment

Notes to physician No information available.

# 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

## 5.2 Specific hazards arising from the substance or mixture

#### **Special Hazard**

No information available

Hazardous Combustion Products No information available.

#### **Explosion Data**

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

None required.

#### 6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

#### 6.3 Methods and materials for containment and cleaning up

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

# 8. Exposure controls/personal protection

#### 8.1 Occupational Exposure Limits (OEL)

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	: (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>
CALCIUM CARBONATE (LIMESTONE) 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	
CLAY (KAOLIN) 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 2 mg/m³	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m³	TWA: 2 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
AMORPHOUS SILICA 7631-86-9	-	TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA				
Aluminium Hydroxide 21645-51-2	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	TWA: 1.0 mg/m <sup>3</sup>			TWA: 1 mg/m <sup>3</sup>
CELLULOSE 9004-34-6	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Stoddard Solvent 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m <sup>3</sup>	TWA: 290 mg/m <sup>3</sup> STEL: 580 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 572 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	TWA: 525 mg/m <sup>3</sup>

## 8.2 Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

#### 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If splashes are likely to occur, wear:. Tightly fitting safety goggles.

**Skin and body protection** Wear protective gloves/ protective clothing.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene measures** See section 7 for more information

# 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous liquid

**Color** Off-white Gray or Colored liquid

**Odor** Faint

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

**pH** >8

Melting/freezing point No information available

Boiling point/boiling range > 100 °C

Flash Point no data available No information available

**Evaporation rate** 

Flammability (solid, gas)

No information available

Flammability Limits in Air upper flammability limit No information available

lower flammability limit

Vapor pressure

Vapor density

No information available
No information available
No information available

Specific Gravity 0.96 - 1.80 g/cc

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) no data available content

Density 8.0 - 15.0 lbs/gal

# 10. Stability and Reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

## 10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

## 10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

# 11. Toxicological information

### 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

#### Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	500 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-
AMORPHOUS SILICA 7631-86-9	5000 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Aluminium Hydroxide 21645-51-2	5000 mg/kg ( Rat )	-	-
CELLULOSE 9004-34-6	-	-	> 5800 mg/m³(Rat)4 h

# 11.2 Information on toxicological effects

# Skin corrosion/irritation

**Product Information** 

· No information available

Component Information

No information available

### Eye damage/irritation

Product Information

No information available

Component Information

• No information available

# Respiratory or skin sensitization

Product Information

· May cause allergic skin reaction

Component Information

• No information available

### **Germ Cell Mutagenicity**

Product Information

- No information available
- Component Information
- No information available

### Carcinogenicity

# Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

•

Chemical Name	ACGIH	IARC	NTP	OSHA
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	

## Reproductive toxicity

Product Information

- · No information available
- Component Information
- · No information available

## STOT - single exposure

No information available

# STOT - repeated exposure

No information available

### Other adverse effects

**Target Organs** 

· None under normal use conditions

**Product Information** 

- No information available
- Component Information
- No information available

# **Aspiration hazard**

**Product Information** 

- No information available
- Component Information
- · No information available

# 12. Ecological information

## 12.1 Toxicity

**Ecotoxicity** No information available

**Ecotoxicity effects** 

Locioxiony chocis						
Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other			
			aquatic invertebrates			
AMORPHOUS SILICA	EC50: 72 h Pseudokirchneriella	LC50: 96 h Brachydanio rerio 5000	EC50: 48 h Ceriodaphnia dubia			
7631-86-9	subcapitata 440 mg/L	mg/L static	7600 mg/L			

### 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

Discharge into the environment must be avoided

# 12.4 Mobility in soil

No information available.

#### 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

## 13.1 Waste Disposal Guidance

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# 14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

# 15. Regulatory information

#### 15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

## 15.2 U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# 15.3 Pesticide Information

Not applicable

### 15.4 U.S. State Regulations

# **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
CRYSTALLINE SILICA (QUARTZ)/ SILICA SAND - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Benzophenone - 119-61-9	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive
1,4-DIOXANE - 123-91-1	Carcinogen
ETHYL ACRYLATE - 140-88-5	Carcinogen

# 16. Other information

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and chemical hazards 
HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection B

#### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

**Revision Date** 29-May-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**