



## Material Safety Data Sheet

---

SECTION I - Material Identity  
 SECTION II - Manufacturer's Information  
 SECTION III - Physical/Chemical Characteristics  
 SECTION IV - Fire and Explosion Hazard Data  
 SECTION V - Reactivity Data  
 SECTION VI - Health Hazard Data  
 SECTION VII - Precautions for Safe Handling and Use  
 SECTION VIII - Control Measures  
 SECTION IX - Label Data  
 SECTION X - Transportation Data  
 SECTION XI - Site Specific/Reporting Information  
 SECTION XII - Ingredients/Identity Information

---

### SECTION I - Material Identity

---

|                        |   |
|------------------------|---|
| Item Name              |   |
| Part Number/Trade Name | KG-79, KG-700 KLEEN GUARD<br>FURNITURE POLISH |
| National Stock Number  | 6840L4163202027                               |
| CAGE Code              | ALBER   |
| Part Number Indicator  | A   |
| MSDS Number            | 192532  |
| HAZ Code               | B   |

---

### SECTION II - Manufacturer's Information

---

|                   |                         |
|-------------------|-------------------------|
| Manufacturer Name | ALBERTO CULVER USA, INC |
| Street            | 2525 ARMITAGE AVENUE    |
| City              | MELROSE PARK            |
| State             | IL                      |
| Country           | US                      |
| Zip Code          | 60160                   |

### MSDS Preparer's Information

---

|                            |         |
|----------------------------|---------|
| Date MSDS Prepared/Revised | 05MAR02 |
| Active Indicator           | Y       |

**Alternate Vendors****SECTION III - Physical/Chemical Characteristics**

|                         |   |
|-------------------------|---|
| Appearance/Odor         | CLOUDY WHITE LIQUID WITH CHARACTERISTIC PERFUME ODOR IN AEROSOL SPRAY CAN |
| Boiling Point           | NA  |
| Vapor Pressure          | 38  |
| Vapor Density           | >1  |
| Specific Gravity        | 0.997   |
| Evaporation Rate        | <1  |
| Solubility in Water     | DISPERSIBLE   |
| Chemical pH             | 7.9-8.5   |
| Container Type          | R   |
| Container Pressure Code | 2   |
| Temperature Code        | 8   |
| Product State Code      | L   |

**SECTION IV - Fire and Explosion Hazard Data**

|                                  |   |
|----------------------------------|---|
| Flash Point                      | 127   |
| Flash Point Method               | TCC   |
| Lower Explosion Limit            | 1   |
| Upper Explosion Limit            | 7   |
| Extinguishing Media              | WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL   |
| Special Fire Fighting Procedures | WARNING, FLAMMABLE LIQUID AND GAS. CLEAR FIRE AREA OF UNPROTECTED EPRSONNEL. DO NOT ENTER OCNFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SCBA |
| Unusual Fire/Explosion Hazards   | CONTAINERS EXPOSED TO INTENSE HEAT FROM FIRES SHOULD BE COOLED WITH WATER TO PREVENT VPAOR PRESSURE BUILDUP, WHICH COULD RESULT IN CONTAINER EXPLOSION AND ROCKETING  |

**SECTION V - Reactivity Data**

|           |     |
|-----------|-----|
| Stability | N/K |
|-----------|-----|

|                                    |   |
|------------------------------------|---|
| Stability Conditions to Avoid      | PROTECT FROM IGNITION SOURCES AND EXTREME HEAT AND FREEZING   |
| Materials to Avoid                 | NONE KNOWN  |
| Hazardous Decomposition Products   | CARBON MONOXIDE, NITROGEN COMPOUNDS, CARBON DIOXIDE, HYDROGEN CHLORIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED |
| Hazardous Polymerization           | NO  |
| Polymerization Conditions to Avoid | CANNOT OCCUR  |

---

**SECTION VI - Health Hazard Data**

---

|                                      |   |
|--------------------------------------|---|
| Route of Entry: Skin                 | U   |
| Route of Entry: Ingestion            | U   |
| Route of Entry: Inhalation           | U   |
| Health Hazards - Acute and Chronic   | [EYE] LIQUID AND VAPOR MAY CAUSE MODERATE TO SEVERE EYE IRRITATION. [INHAL] VAPORS MAY CAUSE SLIGHT IRRITATION TO MUCOUS MEMBRANES. HIGH VAPOR CONCENTRATIONS MAY CAUSE CNS DEPRESSION. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE PRODUCT CAN BE HARMFUL OR FATAL                                 |
| Symptoms of Overexposure             | CNS DEPRESSION MAY BE EVIDENCED BY GIDDINESS, HEADACHE, DIZZINESS AND NAUSEA  |
| Medical Cond. Aggrevated by Exposure | NR  |
| Emergency/First Aid Procedures       | [EYE] RINSE WELL WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MIN. SEEK MED ATTENTION IF IRRITATION PERSISTS. [SKIN] PRODUCT IS USED ON FURNITURE. SOAP AND WATER SHOULD BE USED TO REMOVE THE PRODUCT FROM THE SKIN. [INGEST] SEEK MED ATTEN. CONTAINS 1% MINERAL SPIRITS. [INHAL] MOVE VICTIM TO FRESH AIR IF NECESSARY |

---

**SECTION VII - Precautions for Safe Handling and Use**

---

|                                    |   |
|------------------------------------|---|
| Steps if Material Released/Spilled | CLEAN UP WITH RAGS, PAPER TOWELS, INERT ABSORBENT OR A MOP. RINSE CLEANING EQUIPMENT WITH WATER BEFORE DISPOSAL OR STORAGE. CONTAMINATED ABSORBENT SHOULD BE TRANSFERRED TO CONTAINERS WITH PRESSURE-RELIEF DEVICES AND |
|------------------------------------|---|

|                                  |   |
|----------------------------------|---|
| Neutralizing Agent               | DISPOSED OF PROPERLY. RINSE AREA WITH WATER TO REMOVE RESIDUAL PRODUCT. BEWARE OF SLIPPERY FLOORS   |
| Waste Disposal Method            | NR<br>EMPTY CONTAINERS CAN BE DISPOSED OF IN THE TRASH OR RECYCLED IF FACILITIES EXIST. CONTACT A LICENSED WASTE MANAGEMENT COMPANY FOR DISPOSAL OF A LARGE NUMBER OF FILLED CONTAINERS |
| Handling and Storage Precautions | COOL DRY STORAGE AWAY FROM IGNITION SOURCES AT TEMPERATURES BELOW 120 F. KEEP OUT OF REACH OF CHILDREN. LEVEL 1 AEROSOL   |
| Other Precautions                | NR  |

---

**SECTION VIII - Control Measures**

---

|                                 |   |
|---------------------------------|---|
| Respiratory Protection          | NONE REQUIRED FOR NORMAL USE  |
| Ventilation                     | NORMAL AIR CIRCULATION IS ADEQUATE FOR ORDINARY USAGE. SPARK PROOF SOLVENT VENTILATION MAY BE REQUIRED IF LARGE AMOUNTS |
| Protective Gloves               | NONE REQUIRED   |
| Eye Protection                  | KEEP OUT OF EYES  |
| Other Protective Equipment      | NA  |
| Work Hygenic Practices          | NA  |
| Supplemental Health/Safety Data | NR  |

---

**SECTION IX - Label Data**

---

|                     |         |
|---------------------|---------|
| Protect Eye         | NO      |
| Protect Skin        | NO      |
| Protect Respiratory | NO      |
| Chronic Indicator   | UNKNOWN |
| Contact Code        | UNKNOWN |
| Fire Code           | UNKNOWN |
| Health Code         | UNKNOWN |
| React Code          | UNKNOWN |

---

**SECTION X - Transportation Data**

---



---

**SECTION XI - Site Specific/Reporting Information**

---

|                                  |         |
|----------------------------------|---------|
| Volatile Organic Compounds (P/G) | .499    |
| Volatile Organic Compounds (G/L) | 59.7996 |

---

**SECTION XII - Ingredients/Identity Information**

---

|                 |                    |
|-----------------|--------------------|
| Ingredient #    | 01                 |
| Ingredient Name | PROPANE, 2-METHYL- |
| CAS Number      | 75285              |
| Proprietary     | NO                 |
| Percent         | 5                  |
| Ingredient #    | 02                 |
| Ingredient Name | *MINERAL SPIRITS   |
| CAS Number      | 64741657           |
| Proprietary     | NO                 |
| Percent         | 1                  |

---