

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

Trade Name: Fog-in-a-can (Fantasy X)

Supplier: Scientific Laser Connection, Inc.

Address: 7558 W. Thunderbird Road # 1
P. M. B. 489
Peoria, AZ. 85381

Phone: (602) 939-6711 Fax: (602) 939-369

Date prepared or revised: June 25, 1995

2. HAZARDOUS INGREDIENTS

Chemical Names	CASNumbers	Percent	Exposure Limits in Air
			ACGIH TLV OSHA PEL Other Cspecify!
(NONE)			

3. PHYSICAL PROPERTIES

Vapor Density (air = 1)	1.7	Melting point or range, °F	N/A
Specific gravity	0.35	Boiling point or range, °F	-43.8
Solubility in water	Insoluble	Evaporation rate (butyl acetate = 1)	1.4
Vapor pressure, mmHg at 20°C	1206		
Appearance and odor	Odorless aerosol; Dispenses hazy fog		

4. FIRE AND EXPLOSION

Flash Point, °F (give method)	<-60°C (TOC)	
Flammable limits in air, volume %	lower (LEL) 1.9	upper (UEL) 9.5

Extinguishing media: These cylinders contain hydrocarbon oil and gas propellants. The only safe way to extinguish a fire is to remove the fuel (stop the flow of gas).

Unusual fire and explosion hazards: Cylinders that are exposed to fire may rupture with violent force. Extinguish surrounding fire and keep cylinders cool using a maximum possible distance.